





# SL-18 Door & Frame Estimate/Order Form

**Door(s) & Frame(s)**  
  **Door(s) only**  
  **Frame(s) only**

**1. Door Mark (I.D.):** \_\_\_\_\_ **Building Type:** \_\_\_\_\_

**2. Handing:**  Single    Pairs    Unequal Pair

(Specify quantity of single/pairs of doors required. All doors on each sheet must be identical. Use separate sheets for doors with differences.)



**3. Opening Dimensions:**

(Measure opening to finished floor. For both width and height, measure opening at several points and record the smallest dimension.)

Width: \_\_\_\_\_ Height: \_\_\_\_\_ Thres. Height: \_\_\_\_\_ (default bottom undercut: 3/4")

Rough Opening (masonry to masonry)  
  Door Opening (jamb to jamb)  
  Net Door Size  
  Net Frame Size (outside tip to tip of new frame)

**4. Swing:** Degree of Door Opening \_\_\_\_\_ °

**5. Aluminum Finish:** (Special anodizing or painting will result in additional lead time.)

Clear (stock)  
  Dark Bronze (stock)  
  Black  
  Champagne  
  Light Bronze  
 Medium Bronze  
 Painted: (enter code) \_\_\_\_\_

**6. AMP Facesheet Color:**   Chestnut stain     Dark Maple stain     Mahogany stain     Oak stain

Teak stain  
   Walnut stain

Painted: (enter code) \_\_\_\_\_

**7. Aluminum Vision Lite:**  Yes    No    Other (provide sketch) Option of FL-LPBev or FL-SecureLite may be available. Contact Special-Lite.

(Top, Middle and Bottom Vision Lites are painted to match face sheets. If needed please clarify with sketch/detail and/or further instruction at end of form.)

Top Lites  
  Middle Lites  
  Bottom Lites  
  Top & Middle Lites  
 Middle & Bottom Lites  
 Top/Middle/Bottom  
 Half Lite  
 Half Lite w/9 Lite Alum. Surface Muntin

**8. Glass/Louvers:**  By Special-Lite    By Others    None \*If needed please clarify with sketch/detail and/or further instruction at end of form.

1/4" Polycarbonate  
  1/4" Tempered (Clear)  
  1/4" Laminated (Clear)  
  1" Tempered (Clear)  
  Other\* (provide thickness & detail)  
 Louver  
 Louver with screen  
 1" Panel (specify face sheet)  
 1/4" Panel (specify face sheet)  
 1" w/Internal Muntins\*

**9. Framing:**  By Special-Lite    By Others    No Framing Unless specified, existing door stop is assumed to be 5/8" high.

**Frames Options:**  Perimeter    Complicated

Provide any existing hardware locations to match. Please include a separate elevation for any frame more complicated than a perimeter frame.

**Frame Glass Thickness:**  1/4"    1"

Provide glass thickness for transom/side lite. Glass not supplied by Special-Lite for framing.

**9. Framing (continued):**

**Door Mark (I.D.):** \_\_\_\_\_

**Frame Panels:**

By Special-Lite       By Others

1/4"       1"       1-3/4"

**Heavy Wall Tube Frames with Applied Stop :**

2" x 4"       5/8" x 4-1/2"       1" x 4-1/2"       1" x 6"  
 1-3/4" x 4"       2" x 4-1/2"       2" x 5"       2" x 6"  
 1-3/4" x 4"       1-3/4" x 4-1/2"       1-3/4 x 5"       1-3/4" x 6"

**Thermally Broken Frames:**

2" x 4-1/2"       2" x 6"

**Heavy Wall Flush Glazed Frames:**

1-3/4" x 4-1/2"       2" x 4-1/2"       2" x 6"  
Non-Therm Improved      Thermally Improved      Thermally Improved

**Retrofit Framing :**

Insert Frame       Insert Frame & Capping       Capping (Frame Detail Required)

**10. Continuous Hinge by Special-Lite:** (SL-11HD)  Yes  No

**11. Adjustable Bottom Brush by Special-Lite:** (SL-301)  Yes  No

**12. Adjustable Astragal by Special-Lite:** (AS-4A) with optional radius meeting stile  Yes  No


**13. Hardware:** (Surface closers and surface holder/stops are field prepped and installed. The default strike centerline is 40 - 5/16" from floor.)

Quantity	Manufacturer	Item#	Size	Finish	Supplied by SL	Prep per Temp.	Will be Sent to SL
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**14. Special Instructions:** (If your order has specific performance requirements to meet, please note it here.)

# AMP Colonial Panel Approval

Please be advised that the SL-38 AMP Colonial Panel is constructed from SL-18 Colonial Door molded face sheets. The completed panel will have the grain pattern as indicated below. If this is not acceptable, a SL-39 AMP wood grain panel (flush face sheet) may be a better option.



I have read and understood this notice and have communicated this to the end user.

X \_\_\_\_\_  
Signature Date