



RHR Closed Door Detail




SpecSlide Option 1 (RHR)


- Hawa SoftMove Soft Close and Soft Open
- Square Fascia
- Omega Cased Opening
- Standard Rattle Resistant Floor Guide

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail



Floor Detail

Special-Lite®


SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS


REVISION			
A	2/4/24	C	
B		D	

SpecSlide (RHR) Soft Close Std.

DATE: 2/4/24 | SHEET NO. 1 OF 48 | FILE:SpecSlide Details



RHR Closed Door Detail




SpecSlide Option 2 (RHR)


- Hawa SoftMove Soft Close and Soft Open
- Sloped Fascia
- Omega Cased Opening
- Standard Rattle Resistant Floor Guide

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail




Floor Detail


Special-Lite

SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS	REVISION				SpecSlide (RHR) Soft Close Std.		
A	2/4/24	C			DATE: 2/4/24	SHEET NO. 2 OF 48	FILE:SpecSlide Details
B		D					



RHR Closed Door Detail




SpecSlide Option 3 (RHR)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail




Floor Detail

Special-Lite
SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com


DRAWN BY: BAS					
REVISION					
A	2/4/24	C			
B		D			

SpecSlide(RHR) Soft Close Drop Seal

DATE: 2/4/24 | SHEET NO. 3OF 48 | FILE:SpecSlide Details



RHR Closed Door Detail




SpecSlide Option 4 (RHR)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail




Floor Detail


Special-Lite®

SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS	REVISION			SpecSlide(RHR) Soft Close Drop Seal		
A	2/4/24	C		DATE: 2/4/24	SHEET NO. 4 OF 48	FILE:SpecSlide Details
B		D				



RHR Closed Door Detail




SpecSlide Option 5 (RHR)


- Hawa Lift Seal and Drop Seal
- End Stop Dampeners
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail

SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS				SpecSlide (RHR) Lift/Drop Seal		
REVISION						
A	2/4/24	C		DATE: 2/4/24	SHEET NO. 5 OF 48	FILE:SpecSlide Details
B		D				



RHR Closed Door Detail




SpecSlide Option 6 (RHR)


- Hawa Lift and Drop Seal
- End Stop Dampeners
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail



Floor Detail

Special-Lite
SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com


DRAWN BY: BAS				SpecSlide (RHR) Lift/Drop Seal		
REVISION						
A	2/4/24	C		DATE: 2/4/24	SHEET NO. 6 OF 48	FILE:SpecSlide Details
B		D				

SpecSlide Option 1 (LHR)


- Hawa SoftMove Soft Close and Soft Open
- Square Fascia
- Omega Cased Opening
- Standard Rattle Resistant Floor Guide

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail




Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide (LHR) Soft Close Std.	
DATE: 2/4/24	SHEET NO. 8 OF 48	FILE:SpecSlide Details

SpecSlide Option 2 (LHR)


- Hawa SoftMove Soft Close and Soft Open
- Sloped Fascia
- Omega Cased Opening
- Standard Rattle Resistant Floor Guide

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail




Special-Lite®	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS	SpecSlide (LHR) Soft Close Std.	
REVISION: A 2/4/24 C; B D	DATE: 2/4/24	SHEET NO. 7 OF 48 — FILE: SpecSlide Details

SpecSlide Option 3 (LHR)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail




Special-Lite®	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com		
DRAWN BY: BAS	SpecSlide(LHR) Soft Close Drop Seal		
REVISION A 2/4/24 C B D	DATE: 2/4/24	SHEET NO. 10 OF 48	FILE:SpecSlide Details

SpecSlide Option 4 (LHR)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail




Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide(LHR) Soft Close Drop Seal	
	DATE: 2/4/24	SHEET NO. 9 OF 48 / FILE:SpecSlide Details

SpecSlide Option 5 (LHR)


- Hawa Lift Seal and Drop Seal
- End Stop Dampeners
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail



Floor Detail



LHR Closed Door Detail




Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS	SpecSlide (LHR) Lift/Drop Seal	
REVISION: A 2/4/24 C; B D	DATE: 2/4/24	SHEET NO. 12 OF 48 — FILE:SpecSlide Details

SpecSlide Option 6 (LHR)


- Hawa Lift and Drop Seal
- End Stop Dampeners
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail




LHR Closed Door Detail



Special-Lite®	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide (LHR) Lift/Drop Seal	
	DATE: 2/4/24	SHEET NO. 11 OF 48
		FILE:SpecSlide Details



RHR Closed Door Detail




SpecSlide Option 1 (RHR w/ Ladder Pull)


- Hawa SoftMove Soft Close and Soft Open
- Square Fascia
- Omega Cased Opening
- Standard Rattle Resistant Floor Guide

Notes

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail



Floor Detail

Special-Lite®


SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS


REVISION			
A	2/4/24	C	
B		D	

SpecSlide (RHR) Soft Close Std.

DATE: 2/4/24 | SHEET NO. 13 OF 48 | FILE:SpecSlide Details



RHR Closed Door Detail




SpecSlide Option 2 (RHR w/ Ladder Pull)


- Hawa SoftMove Soft Close and Soft Open
- Sloped Fascia
- Omega Cased Opening
- Standard Rattle Resistant Floor Guide

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail




Floor Detail


Special-Lite®

SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS				SpecSlide (RHR) Soft Close Std.		
REVISION						
A	2/4/24	C				
B		D		DATE: 2/4/24	SHEET NO. 14 OF 48	FILE:SpecSlide Details



RHR Closed Door Detail




SpecSlide Option 3 (RHR w/ Ladder Pull)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail

Special-Lite®
SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS	REVISION			SpecSlide(RHR) Soft Close Drop Seal		
A	2/4/24	C		DATE: 2/4/24	SHEET NO. 15 OF 48	FILE:SpecSlide Details
B		D				



RHR Closed Door Detail




SpecSlide Option 4 (RHR w/ Ladder Pull)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail



Floor Detail

Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide(RHR) Soft Close Drop Seal DATE: 2/4/24 SHEET NO. 16OF 48 FILE:SpecSlide Details




RHR Closed Door Detail

SpecSlide Option 5 (RHR w/ Ladder Pull)


- Hawa Lift Seal and Drop Seal
- End Stop Dampeners
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal


Notes

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail






Floor Detail


Special-Lite

SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS					
REVISION			SpecSlide (RHR) Lift/Drop Seal		
A	2/4/24	C			
B		D	DATE: 2/4/24	SHEET NO. 17 OF 48	FILE:SpecSlide Details



RHR Closed Door Detail




SpecSlide Option 6 (RHR w/ Ladder Pull)


- Hawa Lift and Drop Seal
- End Stop Dampeners
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail



Floor Detail

Special-Lite®

SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com


DRAWN BY: BAS			
REVISION			SpecSlide (RHR) Lift/Drop Seal
A 2/4/24	C	DATE: 2/4/24	SHEET NO. 18 OF 48
B	D		FILE:SpecSlide Details

SpecSlide Option 1 (LHR w/ Ladder Pull)


- Hawa SoftMove Soft Close and Soft Open
- Square Fascia
- Omega Cased Opening
- Standard Rattle Resistant Floor Guide

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail



Special-Lite

SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com


DRAWN BY: BAS	SpecSlide (LHR) Soft Close Std.		
REVISION: A 2/4/24 C; B D	DATE: 2/4/24	SHEET NO. 19 OF 48	FILE:SpecSlide Details

SpecSlide Option 3 (LHR w/ Ladder Pull)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail




Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide(LHR) Soft Close Drop Seal
DATE: 2/4/24	SHEET NO. 21 OF 48 — FILE:SpecSlide Details

SpecSlide Option 3 (LHR w/ Ladder Pull)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail




Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide(LHR) Soft Close Drop Seal	
	DATE: 2/4/24	SHEET NO. 21 OF 48
		FILE:SpecSlide Details

SpecSlide Option 4 (LHR w/ Ladder Pull)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail




Special-Lite®	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com
DRAWN BY: BAS	SpecSlide(LHR) Soft Close Drop Seal
REVISION: A 2/4/24 C; B D	DATE: 2/4/24 · SHEET NO. 22 OF 48 · FILE:SpecSlide Details

SpecSlide Option 5 (LHR w/ Ladder Pull)


- Hawa Lift Seal and Drop Seal
- End Stop Dampeners
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail



Floor Detail



LHR Closed Door Detail




Special-Lite®		SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide (LHR) Lift/Drop Seal	
	DATE: 2/4/24	SHEET NO. 23 OF 48
		FILE:SpecSlide Details

SpecSlide Option 6 (LHR w/ Ladder Pull)


- Hawa Lift and Drop Seal
- End Stop Dampeners
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- trim drywall flush with studs




Header Detail




Floor Detail




LHR Closed Door Detail



Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide (LHR) Lift/Drop Seal	
DATE: 2/4/24	SHEET NO. 24 OF 48	FILE:SpecSlide Details



RHR Closed Door Detail




SpecSlide Option 1 (RHR w/ Ladder Pull & Deadlock)


- Hawa SoftMove Soft Close and Soft Open
- Square Fascia
- Omega Cased Opening
- Standard Rattle Resistant Floor Guide

Notes

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail



Floor Detail

Special-Lite®


SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com


DRAWN BY: BAS

REVISION			
A	2/4/24	C	
B		D	


SpecSlide (RHR) Soft Close Std.

DATE: 2/4/24 | SHEET NO. 25 OF48 | FILE:SpecSlide Details





RHR Closed Door Detail




SpecSlide Option 2 (RHR w/ Ladder Pull & Deadlock)


- Hawa SoftMove Soft Close and Soft Open
- Sloped Fascia
- Omega Cased Opening
- Standard Rattle Resistant Floor Guide

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail




Floor Detail


Special-Lite

SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS	SpecSlide (RHR) Soft Close Std.		
REVISION: A 2/4/24, B, C, D	DATE: 2/4/24	SHEET NO. 26 OF 48	FILE:SpecSlide Details



RHR Closed Door Detail




SpecSlide Option 3 (RHR w/ Ladder Pull & Deadlock)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail

Special-Lite
SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS	REVISION			SpecSlide(RHR) Soft Close Drop Seal		
A	2/4/24	C		DATE: 2/4/24	SHEET NO. 27 OF 48	FILE:SpecSlide Details
B		D				



RHR Closed Door Detail




SpecSlide Option 4 (RHR w/ Ladder Pull & Deadlock)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail



Floor Detail

Special-Lite®

SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com


DRAWN BY: BAS

REVISION


A	2/4/24	C	
B		D	

SpecSlide(RHR) Soft Close Drop Seal

DATE: 2/4/24 | SHEET NO. 28 OF 48 | FILE:SpecSlide Details



RHR Closed Door Detail




SpecSlide Option 5 (RHR w/ Ladder Pull & Deadlock)


- Hawa Lift Seal and Drop Seal
- End Stop Dampeners
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail

Special-Lite
SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS				SpecSlide (RHR) Lift/Drop Seal		
REVISION						
A	2/4/24	C		DATE: 2/4/24	SHEET NO. 29 OF 48	FILE: SpecSlide Details
B		D				



RHR Closed Door Detail




SpecSlide Option 6 (RHR w/ Ladder Pull & Deadlock)


- Hawa Lift and Drop Seal
- End Stop Dampeners
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail



Floor Detail

SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com


DRAWN BY: BAS					
REVISION			SpecSlide (RHR) Lift/Drop Seal		
A	2/4/24	C			
B		D	DATE: 2/4/24	SHEET NO. 30 OF 48	FILE:SpecSlide Details

SpecSlide Option 1 (LHR w/ Ladder Pull & Deadlock)


- Hawa SoftMove Soft Close and Soft Open
- Square Fascia
- Omega Cased Opening
- Standard Rattle Resistant Floor Guide

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail




Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide (LHR) Soft Close Std.	
	DATE: 2/4/24	SHEET NO. 31 OF 48
		FILE:SpecSlide Details

SpecSlide Option 2 (LHR w/ Ladder Pull & Deadlock)


- Hawa SoftMove Soft Close and Soft Open
- Sloped Fascia
- Omega Cased Opening
- Standard Rattle Resistant Floor Guide

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail




Special-Lite®	SPECIAL-LITE, INC. 850 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide (LHR) Soft Close Std.	
	DATE: 2/4/24	SHEET NO. 32 OF 48 / FILE:SpecSlide Details

SpecSlide Option 3 (LHR w/ Ladder Pull & Deadlock)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail




Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide(LHR) Soft Close Drop Seal	
	DATE: 2/4/24	SHEET NO. 33OF 48 FILE:SpecSlide Details

SpecSlide Option 4 (LHR w/ Ladder Pull & Deadlock)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail




Special-Lite®	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS	SpecSlide(LHR) Soft Close Drop Seal	
REVISION: A 2/4/24 C; B D	DATE: 2/4/24	SHEET NO. 34 OF 48 — FILE:SpecSlide Details

SpecSlide Option 5 (LHR w/ Ladder Pull & Deadlock)


- Hawa Lift Seal and Drop Seal
- End Stop Dampeners
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail



Floor Detail



LHR Closed Door Detail




Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide (LHR) Lift/Drop Seal	
	DATE: 2/4/24	SHEET NO. 35 OF 12
		FILE:SpecSlide Details

SpecSlide Option 6 (LHR w/ Ladder Pull & Deadlock)


- Hawa Lift and Drop Seal
- End Stop Dampeners
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- trim drywall flush with studs




Header Detail




Floor Detail




LHR Closed Door Detail



Special-Lite®	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide (LHR) Lift/Drop Seal	
	DATE: 2/4/24	SHEET NO. 36 OF 12
		FILE:SpecSlide Details



RHR Closed Door Detail




SpecSlide Option 1 (RHR w/ Mortise Lock & Lever)


- Hawa SoftMove Soft Close and Soft Open
- Square Fascia
- Omega Cased Opening
- Standard Rattle Resistant Floor Guide

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail




Floor Detail


Special-Lite®

SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS	SpecSlide (RHR) Soft Close Std.		
REVISION: A 2/4/24 C; B D	DATE: 2/4/24	SHEET NO. 37 OF 48	FILE:SpecSlide Details



RHR Closed Door Detail




SpecSlide Option 2 (RHR w/ Mortise Lock & Lever)


- Hawa SoftMove Soft Close and Soft Open
- Sloped Fascia
- Omega Cased Opening
- Standard Rattle Resistant Floor Guide

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail



Floor Detail


Special-Lite®

SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com


DRAWN BY: BAS
REVISION
A 2/4/24 C
B D

SpecSlide (RHR) Soft Close Std.

DATE: 2/4/24 | SHEET NO. 38 OF 48 | FILE:SpecSlide Details



RHR Closed Door Detail




SpecSlide Option 3 (RHR w/ Mortise Lock & Lever)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs





Header Detail




Floor Detail

Special-Lite®	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide(RHR) Soft Close Drop Seal DATE: 2/4/24 SHEET NO. 39 OF 48 FILE:SpecSlide Details





RHR Closed Door Detail




SpecSlide Option 4 (RHR w/ Mortise Lock & Lever)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail



Floor Detail

Special-Lite®


SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS


REVISION			
A	2/4/24	C	
B		D	

SpecSlide(RHR) Soft Close Drop Seal

DATE: 2/4/24 | SHEET NO. 40 OF 48 | FILE:SpecSlide Details



RHR Closed Door Detail




SpecSlide Option 5 (RHR w/ Mortise Lock & Lever)


- Hawa Lift Seal and Drop Seal
- End Stop Dampeners
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail

Special-Lite
SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS	REVISION			SpecSlide (RHR) Lift/Drop Seal		
A	2/4/24	C		DATE: 2/4/24	SHEET NO. 41 OF 48	FILE: SpecSlide Details
B		D				



RHR Closed Door Detail




SpecSlide Option 6 (RHR w/ Mortise Lock & Lever)


- Hawa Lift and Drop Seal
- End Stop Dampeners
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail



Floor Detail

Special-Lite
SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com


DRAWN BY: BAS	REVISION			SpecSlide (RHR) Lift/Drop Seal		
A	2/4/24	C		DATE: 2/4/24	SHEET NO. 42 OF 48	FILE:SpecSlide Details
B		D				

SpecSlide Option 1 (LHR w/ Mortise Lock & Lever)


- Hawa SoftMove Soft Close and Soft Open
- Square Fascia
- Omega Cased Opening
- Standard Rattle Resistant Floor Guide

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail




Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide (LHR) Soft Close Std.
DATE: 2/4/24	SHEET NO. 43 OF 48
FILE:SpecSlide Details	

SpecSlide Option 2 (LHR w/ Mortise Lock & Lever)


- Hawa SoftMove Soft Close and Soft Open
- Sloped Fascia
- Omega Cased Opening
- Standard Rattle Resistant Floor Guide

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail




Special-Lite®	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide (LHR) Soft Close Std.	
	DATE: 2/4/24	SHEET NO. 44 OF 48
		FILE:SpecSlide Details

SpecSlide Option 3 (LHR w/ Mortise Lock & Lever)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail




Special-Lite®	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide(LHR) Soft Close Drop Seal	
	DATE: 2/4/24	SHEET NO. 45OF 48
		FILE:SpecSlide Details

SpecSlide Option 4 (LHR w/ Mortise Lock & Lever)


- Hawa SoftMove Soft Close and Soft Open
- Hawa Drop Seal
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail





LHR Closed Door Detail




Special-Lite®	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide(LHR) Soft Close Drop Seal	
	DATE: 2/4/24	SHEET NO. 46 OF 48
		FILE:SpecSlide Details

SpecSlide Option 5 (LHR w/ Mortise Lock & Lever)


- Hawa Lift Seal and Drop Seal
- End Stop Dampeners
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail



Floor Detail



LHR Closed Door Detail




Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide (LHR) Lift/Drop Seal	
	DATE: 2/4/24	SHEET NO. 47 OF 48
		FILE:SpecSlide Details

SpecSlide Option 6 (LHR w/ Mortise Lock & Lever)


- Hawa Lift and Drop Seal
- End Stop Dampeners
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes:


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail



Floor Detail



LHR Closed Door Detail



Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS REVISION A 2/4/24 C B D	SpecSlide (LHR) Lift/Drop Seal	
	DATE: 2/4/24	SHEET NO. 48 OF 48
		FILE:SpecSlide Details