Hybrid FRP Door Estimate/Order Form

Door Models: SL-17, SL-18, SL-19, SL-19-1, SL-20 Hybrid FRP Doors
Frame Models: Heavy Wall Tube Frame w/ Applied Stops, Thermally Broken, Heavy Wall Flush Glazed, Retrofit Frames

Email estimate requests to: estimating@special-lite.com • Email orders to: orders@special-lite.com
Please download to your desktop prior to filling in your order information. Forms filled out via web browser will download blank.


1 DOOR ID

☐ Door(s) & Frame(s) ☐ Door(s) only ☐ Frame(s) only **Door Mark ID(s):** _____ **Job Name:** _____ **Job Bid Date:** _____

2 HANDING

☐ Single


☐ QTY:	☐ QTY:	☐ QTY:	☐ QTY:
Left Hand Reverse	Left Hand	Right Hand	Right Hand Reverse



From Exterior of Room or Building

☐ Pair — Select Active Leaf(s) ☐ Unequal Pair — Select Active Leaf

☐ QTY:	☐ QTY:	☐ QTY:	☐ QTY:
Left Hand Active	Right Hand Active	Left Hand Reverse Active	Right Hand Reverse Active



From Exterior of Room or Building

3 OPENING DIMENSIONS



Height: _____ "

Threshold Height: _____ " (Default undercut: 3/4")

Width: _____ "

Degree of Swing: _____ °

[How to Measure]

Max door size:

SL-17: w/o seam 84" x 144", w/ seam 84" x 168"

SL-19-1: 42" x 100"

SL-18, SL-19, SL-20: 48" x 96"

Larger sizes may be available, consult Special-Lite for options and availability.

Measurement Type:

☐ Rough Opening (stud to stud)

☐ Door Opening (jamb to jamb)

☐ Net Door Size

☐ Net Frame Size (outside tip to tip of new frame)

4 DOOR FACE & FINISH SELECTION:

View finish brochures for complete lists of finish options.

Class A face sheets may be available, contact Special-Lite.
If requesting an estimate only, will door be painted, stained, or through-color?
☐ *Standard Paint* ☐ *Custom Paint* ☐ *Through-color* ☐ *Standard Stain*

Door Edge:
Prices vary based on color selected; special anodized finishes (non-stock) may incur additional cost and lead time.

☐ Clear *Stock* ☐ Medium Bronze ☐ Black
☐ Dark Bronze *Stock* ☐ Light Bronze ☐ Champagne
☐ Painted: _____

Door Face:

☐ **SL-17 Pebble Grain** ☐ Through-Color ☐ Painted
Int. Color _____ Ext. Color _____

☐ **SL-18 6-Panel Wood Grain** ☐ Stained ☐ Painted
Int. Color _____ Ext. Color _____

☐ **SL-19 Rustic Wood Grain** ☐ Stained ☐ Painted
Int. Color _____ Ext. Color _____

☐ **SL-19-1 Contemporary Wood Grain** ☐ Stained ☐ Painted
Int. Color _____ Ext. Color _____

☐ **SL-20 Sandstone Tex.** ☐ Through-Color ☐ Painted
Int. Color _____ Ext. Color _____

Special-Lite, Inc.
Decatur, MI 49045
special-lite.com

©2025 Special-Lite, Inc.
Release Date: 07/25

Hybrid FRP Door Estimate/Order Form

Door Models: SL-17, SL-18, SL-19, SL-19-1, SL-20 Hybrid FRP Doors
Frame Models: Heavy Wall Tube Frame w/ Applied Stops, Thermally Broken, Heavy Wall Flush Glazed, Retrofit Frames


Email estimate requests to: estimating@special-lite.com • Email orders to: orders@special-lite.com

5 VISION LITE KIT

A. Lite Kit:

☐ No Lite
☐ FL-Standard
☐ FL-SecureLite 1/2" bite
☐ FL-SecureLite 1" bite
☐ Cutout Only - No VL Kit
☐ FL-LPBev Lite Kit
☐ Aluminum Surface Muntins
Not available with FL-LPBev lite kit
☐ 1/2" Width
☐ 1-1/4" Width


SL-18 ONLY
Select Lite Kit Locations →
Must use colonial lite kit
☐ Colonial Lite Kit




B. Size:

☐ Configuration number from below: _____

☐ Custom Dimensions:
Elevation Required if not selected in configurations below
_____



100-01 100-02 100-03 100-04 100-05 100-06 100-07 100-08 100-09 100-10 100-11 100-12



100-13 100-14* 100-15* 100-16* 100-17* 100-18* 100-19* 100-20*

*Curved and complicated configurations may require additional cost and lead times. Contact the factory for project specific additional costs and lead times. Glass options are limited for some configurations, contact for specific guidance.

C. Glazing and Infill:

☐ N/A
☐ Glass by Others: _____
Specify Thickness

☐ Glass by Special-Lite
☐ 1/4" Polycarbonate
☐ 1/4" Tempered
☐ 1/4" Laminated
☐ 1" Tempered
☐ 1" w/ Internal Muntins
☐ SL-FVP
☐ SL-FVP-P
☐ 1/2" Tempered
☐ 1/2" Laminated
☐ 1-1/2" Tempered
☐ 1-1/2" Laminated
☐ SL-PVP (1" only)
☐ Other *(provide thickness and detail)*

Louvers
Elevation Required if not selected in above configuration
☐ By Special-Lite ☐ By Others

☐ Insert Screen ☐ Int. ☐ Ext.
☐ Aluminum *(Default)*
☐ Brass
☐ Stainless Steel

☐ 1/4" Panel *(specify face sheet)*
☐ 1" Panel *(specify face sheet)*

6 FRAMES

☐ Perimeter ☐ Complicated *(Attach elevation)*

☐ Finish Matches Door Edge ☐ Finish Matches Door Face ☐ Other: _____

☐ 4" Header

Heavy Wall Tube Frames with Applied Stop

☐ 2" x 4" ☐ 1-3/4" x 4"
☐ 2" x 4-1/2" ☐ 1-3/4" x 4-1/2" ☐ 1" x 4-1/2" ☐ 5/8" x 4-1/2"
☐ 2" x 5" ☐ 1-3/4" x 5"
☐ 2" x 6" ☐ 1-3/4" x 6" ☐ 1" x 6"
☐ 2" x 8"

Thermally Broken Frames

☐ 2" x 4-1/2" ☐ 2" x 6"

Heavy Wall Flush Glazed Frames

☐ 1-3/4" x 4-1/2" *1/4" Glass Only* ☐ 2" x 4-1/2" ☐ 2" x 6"

Retrofit Framing

☐ Insert Frame ☐ Insert Frame & Capping ☐ Capping (Frame detail required)

(Complete Insert Frame w/ or w/o Capping measuring instruction sheet if order includes capping)

Frame Glass Thickness
Frame glass not provided by Special-Lite

☐ 1/4" ☐ 3/8" ☐ 1/2" ☐ 1"

Frame Panels
Elevation Required
☐ By Special-Lite ☐ By Others

☐ 1/4" ☐ 1" ☐ 1-3/4"

Louvers
Elevation Required
☐ By Special-Lite ☐ By Others

Job Name: _____

©2025 Special-Lite, Inc.
Release Date: 07/25

Hybrid FRP Door Estimate/Order Form

Door Models: SL-17, SL-18, SL-19, SL-19-1, SL-20 Hybrid FRP Doors
Frame Models: Heavy Wall Tube Frame w/ Applied Stops, Thermally Broken, Heavy Wall Flush Glazed, Retrofit Frames

Email estimate requests to: estimating@special-lite.com • Email orders to: orders@special-lite.com

7 ACCESSORIES

Continuous Hinge
- ☐ SL11HD
- ☐ A110 HD

☐ **Adjustable Bottom Brush**
(SL-301; not available for use with concealed vertical rods)

☐ **Adjustable Astragal**
(AS-4A w/ optional radius meeting stile)
Not available for use with lockset and flushbolt combo or single doors

Recessed Pull
(Not compatible w/ SL-18)
- ☐ SL-82
- ☐ SL-86

8 HARDWARE

If sending hardware for application, when will it arrive at Special-Lite? DATE: _____ Production will not be scheduled until all hardware has been received.

Quantity	Manufacturer	Item #	Size	Finish	Prep Per Template	SL to Supply Hardware	Reinforce Only	Sending Hardware to SL
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

9 SPECIAL INSTRUCTIONS

©2025 Special-Lite, Inc.