



HURRICANE


Single or Pair Double Half-Lite or Full-Lite SL-15

CONFIGURATION WORKSHEET

Model: SL-15-21856------

single/pair lite glazing hardware set framing op. hardware

FL#: 21856_R0



Swing: Outswing

Outside HVHZ: Yes

Inside HVHZ: Yes

Water Infiltration: Yes

Max Net Door Size: 48" x 96" (Max Leaf Size)

Glazing: 45-1/4" x 75-5/8" Max D.L.O.
21" x 93-3/4" Max D.L.O. (Transom)

Choose Glazing:

Glazing Options	
NO.	Description
G2	5/16" Oldcastle Stormglass (1/8" H.S. Glass x 0.075" Saflex x 1/8" H.S. Glass)
G3	1" Oldcastle Stormglass (1/8" H.S. Glass x 0.075" Saflex x 1/8" H.S. Glass x 3/8" Air Space x 1/4" Tempered Glass)
G4	3/8" Makrolon AR Polycarbonate

Choose Required Hardware Set:

Hardware Set 16 (Design Pressure ± 65 psf) Singles		
QTY	Part #	Description
1	SL-11HD	Select Products Continuous Hinge
1	9975	Von Duprin Mortise Exit Device
2	SB360	Ives Surface Bolts
1	561	Zero International Threshold

Hardware Set 17 (Design Pressure ± 65 psf) Pairs		
QTY	Part #	Description
2	SL-11HD	Select Products Continuous Hinge
2	9975	Von Duprin Mortise Exit Device
1	458	Ives Flush Bolts
4	SB360	Ives Surface Bolts
1	561	Zero International Threshold

CONFIGURATION WORKSHEET SINGLE OR PAIR SL-15 FL# 21856_RO

Hardware Set 18 (Design Pressure ± 65 psf) Singles

QTY	Part #	Description
1	SL-11HD	Select Products Continuous Hinge
1	9947	Von Duprin CVR
2	SB360	Ives Surface Bolts
1	561	Zero International Threshold

Hardware Set 19 (Design Pressure ± 65 psf) Pairs

QTY	Part #	Description
2	SL-11HD	Select Products Continuous Hinge
2	9947	Von Duprin CVR
4	SB360	Ives Surface Bolts
1	561	Zero International Threshold

Hardware Set 20 (Design Pressure ± 65 psf) Singles

QTY	Part #	Description
1	SL-11HD	Select Products Continuous Hinge
1	L9453	Schalge Mortise Lock
2	SB360	Ives Surface Bolts
1	561	Zero International Threshold

Hardware Set 21 (Design Pressure ± 65 psf) Pairs

QTY	Part #	Description
2	SL-11HD	Select Products Continuous Hinge
2	L9453	Schalge Mortise Lock
1	458	Ives Flush Bolts
4	SB360	Ives Surface Bolts
1	561	Zero International Threshold

Hardware Set 22 (Design Pressure ± 65 psf) Singles

QTY	Part #	Description
1	SL-11HD	Select Products Continuous Hinge
1	9954	Dorma Mortise Lock
2	SB360	Ives Surface Bolts
1	561	Zero International Threshold

Hardware Set 23 (Design Pressure ± 65 psf) Pairs

QTY	Part #	Description
2	SL-11HD	Select Products Continuous Hinge
2	9954	Dorma Mortise Lock
1	458	Ives Flush Bolts
4	SB360	Ives Surface Bolts
1	561	Zero International Threshold

Hardware Set 24 (Design Pressure ± 65 psf) Singles

QTY	Part #	Description
1	SL-11HD	Select Products Continuous Hinge
1	M-04	Design Hardware Mortise Lock
2	SB360	Ives Surface Bolts
1	561	Zero International Threshold

Hardware Set 25 (Design Pressure ± 65 psf) Pairs

QTY	Part #	Description
2	SL-11HD	Select Products Continuous Hinge
2	M-04	Design Hardware Mortise Lock
1	458	Ives Flush Bolts
4	SB360	Ives Surface Bolts
1	561	Zero International Threshold

Hardware Set 26 (Design Pressure ± 65 psf) Singles

QTY	Part #	Description
1	SL-11HD	Select Products Continuous Hinge
1	Z-82	Design Hardware Cylindrical Lock
2	SB360	Ives Surface Bolts
1	561	Zero International Threshold

Hardware Set 27 (Design Pressure ± 65 psf) Pairs

QTY	Part #	Description
2	SL-11HD	Select Products Continuous Hinge
2	Z-82	Design Hardware Cylindrical Lock
1	458	Ives Flush Bolts
4	SB360	Ives Surface Bolts
1	561	Zero International Threshold

CONFIGURATION WORKSHEET SINGLE OR PAIR SL-15 FL# 21856_RO

Hardware Set 28 (Design Pressure ± 65 psf) Singles

QTY	Part #	Description
1	SL-11HD	Select Products Continuous Hinge
1	71TS1	Securitech Exit Panic Device
2	SB360	Ives Surface Bolts
1	561	Zero International Threshold

Hardware Set 29 (Design Pressure ± 65 psf) Pairs

QTY	Part #	Description
2	SL-11HD	Select Products Continuous Hinge
2	71TS1	Securitech Exit Panic Device
1	458	Ives Flush Bolts
4	SB360	Ives Surface Bolts
1	561	Zero International Threshold

Choose a Framing Option:

Framing Options

NO.	Description
F2	2" x 4-1/2" Aluminum Tube Frame by Special-Lite
F3	2" x 6" Aluminum Tube Frame by Special-Lite

Choose Optional Hardware:

Optional Hardware

NO.	Description
NA	No Optional Hardware
OT	Optional Trim or Pull
DC	LCN 4040XP
AB	ABH HD1825 Surface Bolt
BH	BB5 Design Hardware Butt Hinge
CH	FMH95AL Design Hardware Continuous Hinge
AH	A110HD ABH Continuous Hinge
MP	FRP Mid-Panel
MR	Aluminum Mid-Rail
WS2	<ul style="list-style-type: none"> • 142 Zero International • 328 Zero International • 123NA National Guard Products • 124A National Guard Products • 141 Zero International • 1840 Zero International or 383 Zero International • 39 Zero International