



RHR Closed Door Detail




SpecSlide w/ Self Close (RHR)


- Hawa SoftMove Soft Close
- Hawa Drop Seal
- Sliding Door Self Closer
- Perimeter Gaskets
- Square Fascia
- Omega Cased Opening

Notes

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail




Floor Detail


Special-Lite

SPECIAL-LITE, INC.
850 South Wilkins Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS			
REVISION			SpecSlide(RHR) Self&SoftClose
A	2/4/24	C	
B		D	DATE: 2/4/24 SHEET NO. 1 OF 8 FILE:SpecSlide SelfClose



RHR Closed Door Detail




SpecSlide w/ Self Close (RHR)


- Hawa SoftMove Soft Close
- Hawa Drop Seal
- Sliding Door Self Closer
- Perimeter Gaskets
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail



Floor Detail

Special-Lite

SPECIAL-LITE, INC.
660 South Williams Street
DECATUR, MI 49045
special-lite.com


DRAWN BY: BAS			
REVISION			
A 2/4/24	C	SpecSlide(RHR) Self&SoftClose w/Dropseal	
B	D	DATE: 2/4/24	SHEET NO. 2 OF 8 FILE:SpecSlide SelfClose

SpecSlide w/ Self Close (LHR)


- Hawa SoftMove Soft Close
- Sliding Door Self Closer
- Perimeter Gaskets
- Square Fascia
- Omega Cased Opening

Notes


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail





RHR Closed Door Detail




Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com		
DRAWN BY: BAS	SpecSlide(LHR) Self&SoftClose		
REVISION A 2/4/24 C B D	DATE: 2/4/24	SHEET NO. 3 OF 8	FILE:SpecSlide SelfClose

SpecSlide w/ Self Close (LHR)


- Hawa SoftMove Soft Close
- Hawa Drop Seal
- Sliding Door Self Closer
- Perimeter Gaskets
- Square Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs




Header Detail




Floor Detail







RHR Closed Door Detail



Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS	SpecSlide(LHR) Self&SoftClose w/Dropseal	
REVISION: A 2/4/24 C; B D	DATE: 2/4/24	SHEET NO. 4 OF 8 — FILE:SpecSlide SelfClose



RHR Closed Door Detail




SpecSlide w/ Self Close (RHR)


- Hawa SoftMove Soft Close
- Hawa Drop Seal
- Sliding Door Self Closer
- Perimeter Gaskets
- Sloped Fascia
- Omega Cased Opening

Notes

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail




Floor Detail

Special-Lite


SPECIAL-LITE, INC.
850 South Williams Street
DECATUR, MI 49045
special-lite.com

DRAWN BY: BAS	REVISION			
A	2/4/24	C	SpecSlide(RHR) Self&SoftClose	
B		D	DATE: 2/4/24	SHEET NO. 5 OF 8

FILE:SpecSlide SelfClose



RHR Closed Door Detail




SpecSlide w/ Self Close (RHR)


- Hawa SoftMove Soft Close
- Hawa Drop Seal
- Sliding Door Self Closer
- Perimeter Gaskets
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes

- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs



Header Detail



Floor Detail

Special-Lite

SPECIAL-LITE, INC.
860 South Williams Street
DECATUR, MI 49045
special-lite.com


DRAWN BY: BAS			
REVISION		SpecSlide(RHR) Self&SoftClose w/Dropseal	
A 2/4/24	C	DATE: 2/4/24	SHEET NO. 6 OF 8
B	D		FILE:SpecSlide Self/Close


SpecSlide w/ Self Close (LHR)


- Hawa SoftMove Soft Close
- Sliding Door Self Closer
- Perimeter Gaskets
- Sloped Fascia
- Omega Cased Opening

Notes


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs








Header Detail



Floor Detail

RHR Closed Door Detail




Special-Lite	SPECIAL-LITE, INC. 860 South Williams Street DECATUR, MI 49045 special-lite.com
DRAWN BY: BAS	SpecSlide(LHR) Self&SoftClose
REVISION: A 2/4/24 C; B D	DATE: 2/4/24 SHEET NO. 7 OF 8 FILE:SpecSlide SelfClose


SpecSlide w/ Self Close (LHR)


- Hawa SoftMove Soft Close
- Hawa Drop Seal
- Sliding Door Self Closer
- Perimeter Gaskets
- Sloped Fascia
- Omega Cased Opening
- Floor Guide for Drop Seal

Notes


- Wood blocking required full length of the track
- Invert vertical metal studs
- Trim drywall flush with studs








Header Detail



Floor Detail

RHR Closed Door Detail



Special-Lite	SPECIAL-LITE, INC. 850 South Williams Street DECATUR, MI 49045 special-lite.com	
DRAWN BY: BAS	SpecSlide(LHR) Self&SoftClose w/Dropseal	
REVISION: A 2/4/24 C; B D	DATE: 2/4/24	SHEET NO. 8 OF 8 — FILE:SpecSlide SelfClose